

Buildcoin Plugin



Deprecated: This plugin has been removed from the Jenkins Update Centre

The Buildcoin service [no longer exists](#).
[Archived versions](#) of this plugin remain available for download.

See also: [The Continuous Integration Game plugin](#)

Plugin Information

No information for the plugin 'buildcoin-plugin' is available. It may have been removed from distribution.

Sends build info to [Buildcoin](#), a CI game that rewards users for committing often, keeping the build stable, and using pull requests for code reviews.

How it works

This plugin sends the status of each build to [Buildcoin](#) to notify your team about build breakages, reward users who fix broken builds, and display current build status on the real-time dashboard.

1. Sign up at <http://buildcoin.com/>
2. You can find your Company API Key on the [Manage Company](#) page.
3. Paste this key into the Buildcoin section of the Jenkins global configuration to report the status of all jobs to Buildcoin.
 - a. If you only want to use Buildcoin for certain jobs, you can use the Buildcoin section on the job configuration page instead.
4. Enjoy!

The configuration screen on the Jenkins global configuration page.

Buildcoin	
API Key	<input type="text" value="PASTE IN YOUR COMPANY KEY"/>
	Enter the company API key from buildcoin.com .
Debug Mode	<input type="checkbox"/> For bc developers only!

The Buildcoin.com realtime dashboard. It's red because there's a broken build.

The screenshot shows the Buildcoin.com dashboard for Kickass, Inc. The top navigation bar includes the Buildcoin logo, 'Dashboard', and 'Charts'. The user 'Aaron S.' is logged in with a balance of 12.00. The main content area is red, indicating a broken build. It features a 'broken build' notification for 'Build "Buildcoin" is currently broken with a status of FAILURE' on May 23, 2012, at 8:41 AM, with a 'Fix it and win' button for 1.25. Below this is a 'BUILD-test failed with a build status of FAILURE' notification, also on May 23, 2012, at 8:41 AM, with a 'build' button. A section titled 'Here's who broke the build:' shows 'Aaron S.' with a '-1.25' penalty. The dashboard also displays a 'push' event where 'Aaron S. pushed to master at 19flr/buildcoin' on May 23, 2012, at 8:40 AM, with a '+1.00' reward. A 'pull request' event shows 'Mark G. closed and merged pull request #4' on May 22, 2012, at 8:57 PM. On the right side, there is a 'Leaderboard May 2012' showing 'Current Points' for Mark G. (21.50) and Aaron S. (12.00), and 'Builds Fixed' for Mark G. (4 builds). The 'Monthly Commits' section shows Aaron S. with 36 commits and Mark G. with 22 commits. A team pool of 16.00 is also indicated.

Debug mode

The debug mode checkbox can be used for troubleshooting. It will post the build status to any url entered into the API Key text field.

History

Version 1.4 (August 23, 2012)

- Added some exception handling based on user reports of exceptions in the Jenkins log

Version 1.3 (May 24, 2012)

- Added plugin name to pom so it now appears as "Buildcoin Plugin" in Jenkins

Version 1.2 (May 23, 2012)

- Initial release