

testswarm-plugin

Plugin Information

View jenkins-testswarm-plugin [on the plugin site](#) for more information.

Welcome to the jenkins-testswarm-plugin wiki!

Testswarm is used to run javascript tests in all browser. This plugin allows you to run testswarm tests and see results from jenkins.

TestSwarm

Distributed Continuous Integration for JavaScript

Welcome to TestSwarm! More information about what TestSwarm is and how it works can be found on [the TestSwarm wiki](#).

TestSwarm needs your help!

You have a browser that we need to test against, join the swarm to help us out!

Username:

[Join the swarm](#)

Browsers

 Chrome 18 1045 pending runs	 Chrome 19 1052 pending runs	 Chrome 20 1052 pending runs	 Chrome 21 0 pending runs	 Firefox 12 1052 pending runs	 Firefox 13 1052 pending runs
 Firefox 14 1052 pending runs	 Firefox 15 0 pending runs	 Internet Explorer 6 1052 pending runs	 Internet Explorer 7 1052 pending runs	 Internet Explorer 8 10 pending runs	 Internet Explorer 9 1052 pending runs
 Internet Explorer 10 1052 pending runs	 Opera 11.5 1052 pending runs	 Opera 11.6 1052 pending runs	 Opera 12.0 1052 pending runs	 Safari 5.0 1039 pending runs	 Safari 5.1 987 pending runs
 Safari 6.0 0 pending runs	 Android 2.2 1052 pending runs	 Android 2.3 1052 pending runs	 Android 4.0 831 pending runs 20 pending re-runs	 Android 4.1 1050 pending runs	 Firefox Mobile 4 1052 pending runs
 iPhone 4.3 1052 pending runs	 iPhone 5 1052 pending runs	 iPad 3.2 1052 pending runs	 iPad 4.3 1052 pending runs	 iPad 5 1052 pending runs	 Opera Mobile 1052 pending runs
 Opera Mini 2 1052 pending runs	 Palm Web 1.0 1052 pending runs	 Palm Web 2 1052 pending runs	 IEMobile 7 1052 pending runs		

TestSwarm Job that was Launched from Jenkins

Job status: #411

Jenkins - Integration Tests

Submitted by *jenkins* on 2012-09-05 08:45:30 (UTC).

Example 1	○	○	2	○	○	○	2	○	○	○	○	○	○	○	○	2	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	2
Example 2	○	○	4	○	○	○	4	○	○	○	○	○	○	○	○	1	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	4

Sample Jenkins Configuration

TestSwarm Integration Test

TestSwarm Server URL

Job Name

Your Username

Your Auth Token

Number of Runs

Choose Browsers ▾

Polling Interval (in secs)

Timeout Period (in mins)

Number of Browsers Runs Must Pass In

Runs

Name

URL

Enable CacheCracker

Disable Test

Name

URL

Enable CacheCracker

Disable Test


Name

URL

Enable CacheCracker

Disable Test

Results in TestSwarm Results shown in Jenkins



Details of TestSwarm Results in Jenkins

TAP Test Results

1 3 tests, 1 ok, 1 not ok, 1 skipped, 0 Bail Out!
files

File: [testswarm.tap](#)

Number	Description	Directive
1	Example 2 (Should fail in IE) # http://myapp.com/qunit-examples/example2.html? cache_killer=1346898537936	
2	Example 3 (All should fail) # failing - [Chrome 21, Firefox 15] # passed - null # http://myapp.com/qunit-examples/example3.html? cache_killer=1346898537936	
3	Example 1 (All should pass)	SKIP test disabled