

PostBuildScript Plugin

PostBuildScript makes it possible to execute a set of scripts at the end of the build.

Plugin Information

View PostBuildScript [on the plugin site](#) for more information.



Older versions of this plugin may not be safe to use. Please review the following warnings before using an older version:

- [Arbitrary code execution vulnerability](#)



POSTBUILDSRIPT

You can configure these actions depending on the build status (i.e., only run when build is successful).

With version 1.1.0 scripts can be executed on the master, on slaves or both.

Please refer to the [readme file](#) for further information.

Reporting issues

Please first look through [Jira](#). If a ticket already exists, please add a comment and try to explain the issue a little more further. If no ticket exists, please open a new one.

In general please provide example configurations (config.xml, Job DSL scripts, ...) and also screenshots are very helpful to reproduce problems.

Please try to be constructive. If you have a feedback, it's better to write me a direct message.

Contributing

The plugin was created in 2011 by Gregory Boissinot. It was adopted by Daniel Heid in Oktober 2017. Feel free to contribute as you like by forking the repository and creating pull requests.

For bug fixes and enhancements to existing features, first make sure an issue is filed by checking this [Jira filter](#).

After that please create a pull request on [GitHub](#) with your change and link to the JIRA issue in the PR, and link to the PR from the JIRA issue.

Release Notes

Please refer to the README document to see the latest release notes: <https://github.com/jenkinsci/postbuildscript-plugin#release-notes>